



CORNWELL[®] **QUALITY TOOLS**

20 EQUIPMENT FLYER
26 MARCH-APRIL



**CORNWELL
GEAR INSIDE!**



RECOVER & RECYCLE PREMIUM A/C MACHINES



Big Savings!

RAC1234YF
\$8,495.00 ~~\$8,695.00~~

RAC34788NI
\$5,995.00 ~~\$6,595.00~~

RAC34288NI
\$4,795.00 ~~\$5,295.00~~

	RAC1234YF	RAC34788NI	RAC34288NI
Refrigerant	R1234yf	134a	134a
Recovery Performance	98.5%	98.5%	98.5%
Vacuum Pump	3 CFM, 2-Stage	3 CFM, 2-Stage	1.5 CFM, 2-Stage
Hose Length	12'	12'	12'
Fully Automatic Operation	✓	✓	
Vacuum Leak Test	✓	✓	
Hose Flush to Avoid Cross-Contamination	✓	✓	
Automatic Internal Tank Refill	✓	✓	
UV Dye Injection		✓	
Oil Injection		✓	
Display Size	4.3"	4.3"	4.3"
Filter/Drier Capacity	150 lbs.	150 lbs.	150 lbs.
2-Year Warranty (Parts & Labor)	✓	✓	✓
Includes Dust Cover	✓	✓	✓
Includes Refrigerant/Oil Capacity Database	✓	✓	



MCL91788
Mobile Monster R134a Recover & Charging Station

Heavy-duty work station built to endure and excel in any environment, from challenging fieldwork to regular usage. Robust steel framework (36 1/4 x 28 3/4 x 25") and reinforced components ensure optimal performance, even in the most demanding conditions. Extra-large, 10" pneumatic off-road tires. 4-way aluminum manifold and electronic charging scale. 6 CFM, 2 stage vacuum pump. Twin Turbo refrigerant recovery machine. Nylon barrier hoses with standard (1/4" x 1/4") fittings. Recovery cylinder sold separate.

\$3,295.00 ~~\$3,695.00~~

FJC6930CW
5 CFM Spark Proof Vacuum Pump for R-1234yf / R-134a

Dual inlet T-fitting compatible with both R-1234yf and R-134a. Spark-proof design for safer operation. 1,725 RPM pump with twin-port technology. 1/3 HP motor provides a powerful vacuum. Large oil level sight glass and easily accessible drain plug. Lightweight, durable construction for easy handling and long-life. Thermally protected motor with on/off rocker switch. High-volume fan and cooling fins keep motor and pump cool. Safe to use as a replacement pump for recovery machines. Includes 1/2" RH male x 1/2" ACME LH male inlet fittings.



\$219.95 ~~\$249.95~~



MCLC89772AYF R1234yf / R134a Premium Dual Manifold Gauge Set


Professional extruded aluminum block, 72" hoses and 2-1/2" silicone dampened, recalibrateable gauges. Free-floating piston type valves reduce o-ring wear. Extra access port for vacuum line. Extra large sight glass for visual refrigerant check. Large easy-to-grip knobs and patented manual couplers.

\$359.95 ~~\$399.95~~

MCL289772 R134a Manifold Gauge Set with 72" Hoses

Aluminum manifold block, anti-flutter gauges, 72" hoses and standard couplers.

\$149.95 ~~\$169.95~~



MCL83272 R1234yf Manifold Gauge Set

Anti-flutter gauges smooth out needle movement. Piston type free-floating valves reduce o-ring wear. Red and blue nylon barrier hoses with 12mm-m fittings on both sides meets SAE J2888, EPA, SAE and UL standards. Yellow hose with 12mm fitting on one side and 1/2" x 16 ACME on the other meet SAE J2888.

\$259.95 ~~\$289.95~~



MCL69400CON R134a & R1234yf Contaminated Refrigerant Recovery System

Approved for all air conditioning refrigerants, including R1234yf. Quickly and easily removes contaminated refrigerant. Compact and lightweight 1/2 HP oil-less compressor delivers reliable performance. Durable, reinforced plastic shell. Spark-free components to ensure safe operation even when dealing with combustible gases, including A2L and A3 flammable refrigerants. Includes 30 lb DOT-approved cylinder, 72" hoses, couplers, adapters and R134a/R1234yf gauge for comprehensive recovery.

\$1,595.00



MCL58490 R12 & R134a No-Leak Valve Core Remover/Installer

Removes and installs R134a and R12 vehicle AC service port valve cores with no refrigerant loss. Eliminates the need for evacuating A/C system prior to replacing valve cores. For use with all R12 & R134a system valve cores for Standard, JRA, Eaton and GM Large Bore.

\$164.95 ~~\$184.95~~



MCL55900 IntellaSense II Leak Detector

Heated tin oxide sensing element. Sensing life is 2,000 hours. Detects all refrigerants (HFC, CFC, HCFC, and blends). Response time less than one second. Battery: (2) C alkaline 6,000 mAh batteries (included). Operating range: 0°F to 120°F

\$319.95 ~~\$379.95~~



MCL53123YF Refillable R1234yf Oil Injector

Inject oil or dye by connecting to the low side of the A/C system and twisting the handle until you reach the desired amount. Heavy-duty, anodized aluminum 2oz. container with dye scales in 1/10 ounce, 1/4 ounce and milliliters. Includes R1234yf coupler.

\$189.95 ~~\$209.95~~



MCL53134A Refillable Universal Dye / Oil Injector

Inject oil or dye by connecting to the low side of the A/C system and twisting the handle until you reach the desired amount. Heavy-duty, anodized aluminum 2oz. container with dye scales in 1/10 ounce, 1/4 ounce and milliliters.

\$109.95 ~~\$122.95~~


RB1030 5 Piece Spark Plug & Sensor Thread Chaser Set



Restores and cleans threads in spark plug holes, Nox sensors, O2 sensors and more. Unique design can be used with a wrench, socket and 3/8" drive ratchet or extension for long reach applications and recessed spark plug holes. Low profile for access into confined areas. Includes M10 x 1.0, M12 x 1.25, M14 x 1.25, M18 x 1.5, M20 x 1.5 and vinyl holder. Made in USA.

\$55.95 ~~\$61.95~~

CTGCDP Curved Disconnect Pliers



Curved design to easily access push-style line disconnects commonly found on fuel, EVAP, vacuum and DEF fittings. Disconnects dual tab, button and pinch-type quick-connect fittings. Also works on CASE Heavy Equipment DEF hoses and some Aptiv electrical connectors. Ergonomic handles fit comfortably in hand.

\$34.95 ~~\$39.95~~

IP8048 Heavy-Duty Fleet Terminal Cleaner Kit



Cleans and repairs most electrical connectors found on cars, trucks, and industrial equipment in North America. Used as both service and preventative maintenance tools.

\$154.95 ~~\$172.95~~



ARBYSET5 5 Piece Bypass Wrench Set

3/8" Drive Wrench Set connects ratchet, extension and/or breaker bar. Accesses bolts and nuts by going around obstructions. Designed for turbo bolts and nuts on Cummins, Detroit Diesel, Mack, Volvo, International, John Deere, Komatsu and Audi. Works on a variety of applications.

\$199.95 ~~\$219.95~~

SLC13900 19mm & 22mm Cummins Fuel Line Sockets



Easily access and torque Cummins fuel injector lines correctly, reducing the possibility of a fuel leak or preventing damage to the line, fuel rail or fittings. Easily apply the factory torque of 80 ft.-lbs. on ISX engines and 30 ft.-lbs. on ISB engines. The 19mm, 1/2" drive socket is designed for Cummins ISB engines, 1998-current. The 22mm, 1/2" drive socket is designed for Cummins ISX engines, 2007-current.

\$49.95 ~~\$59.95~~

IP9101 Light Ranger MUTT® Trailer Tester

For 7-flat, 6-round and 4/5 flat pin trailer harnesses, the Light Ranger MUTT® simulates all electrical circuits of standard towing vehicles for boating, RV, landscaping, hunting and similar type light duty trailers. Comes with a battery charger and 3-way trailer harness adapter.



\$269.95 ~~\$278.95~~

LS34850 11-PC Injector Seal Installer Kit

Used for replacing Teflon seals on most Hitachi, Bosch, Continental and Delphi fuel injectors found on many Ford, GM and Subaru engines. It also works on many Ford ECO injectors with direct injectors. The pilot cone is placed onto the end of the injector, and the seal is started over the cone. The installer is used to push the seal over the remainder of the cone and into the groove on the injector tip. The sizer is then placed over the seal to compress it back to the correct OD to allow installation into the cylinder head.



\$99.95 ~~\$119.95~~

ASD6006ACW 6/12/24V Heavy- Duty Charger with 280A Crank Assist

Safe for SLA, AGM, and maintenance-free batteries. 6V/70A, 12V/65A and 24V/30A charge ratings. 120-minute timer with continuous charge hold. 12V/280A engine start crank assist. 500A fully insulated clamps and heavy-duty chrome plated handle. Two-Year "bumper-to-bumper" Warranty and Five-Year Limited for Transformer/Rectifier. Made in USA.



\$849.95 ~~\$949.95~~

IP9102 Heavy Ranger MUTT® Trailer Tester

A commercial trailer light and electric brakes tester that reduces guesswork and saves time by powering each trailer electrical circuit in 7-way round pin arrangements. Allows for proper verification of wiring configuration, ground integrity, short circuit and overload conditions, along with electric brake operation and turn signal simulation.



\$269.95 ~~\$373.95~~

WORK BENCHES

A
TUXPWB1600
Work Bench

Heavy-duty steel construction supports up to 1,600 lbs. Large 59.5" x 27.5" work bench area. Adjustable leveling leg stands. 2" retaining fence on three sides. Durable powder-coat finish. Overall Size 60"W x 28"L x 34.75"H

\$849.00 ~~\$899.00~~

B
TUXPTDT1000
Tear Down Table with Drain

Integrated offset table drain & 3 gallon catch basin. Heavy-duty steel construction supports up to 1,000 lbs. Lockable storage drawer. Large 46.8"W x 31.5"L table top area. 4" swivel poly casters (2 locking). Durable powder-coat finish. Overall size: 47"W x 32"L x 41"H

\$1,349.00 ~~\$1,395.00~~

C
TUXPTDTPW1000
Tear Down Table with Retractable Parts Washer

Retractable 3.5 gallon parts washer. Integrated offset table drain & 3 gallon catch basin. Heavy-duty steel construction supports up to 1,000 lbs. Lockable storage drawer. Large 46.8"W x 31.5"L table top area. 4" swivel poly casters (2 locking). Durable powder-coat finish. Overall size: 47"W x 32"L x 41"H

\$2,099.00 ~~\$2,149.00~~



HD Scan Tool Promo

TEXTTAXPTPROMOC - With Free Car Software & TruSpeed Subscription

TEXTTAXPTPROMOO - With Free Off-Highway Software (OHV Cables Sold Separate)

Enhanced coverage for HD truck, bus & medium-duty. Also includes software coverage for Domestic, Asian, and European passenger vehicles. Coverage for powertrain, ABS and trailer. Coverage for powertrain, ABS and trailer. Complete system scan and advanced bi-directional testing. 11.6" Gorilla glass display. Includes Axone Plus tablet, Truck software, Car software, TXT Multihub VCI, 9-16 pin adapter, 1-year updates, 1-year technical information with wiring diagrams & repair information, and 1-year Motor TruSpeed Subscription.

\$7,495.00 ~~\$9,545.00~~



AUTAL529HD Autel® Heavy-Duty Truck & OBDII Scan Tool


Read and erase codes on heavy-duty vehicles utilizing SAE-J1939 and SAE-J1708 protocols. Also compatible with OBDII Domestic, Asian and European vehicles, 1996 and newer. Includes 9-pin and 6-pin Deutsch cables, 16-pin cable and USB cable.

\$159.95 ~~\$189.95~~



CSESP22T 22 Ton Shop Press with Hand Pump

Heavy-duty, steel channel frame with wide base provides strength and stability. Glycerin filled pressure gauge reduces needle flutter for precise readings. Multi-position bed allows work height adjustment in 4-1/4" increments. Adjustable, sliding head and self-retracting ram. Includes pair of arbor bed plates.




\$1,549.00 ~~\$1,749.00~~

3-1/2 Ton Service Jack

CSESJ350NB - Blue
CSESJ350NG - Green

Super low 3.6" height and contoured arm access hard-to-reach lift points. Dual-pump pistons quickly reach service height. Premium seals, hydraulic fluid and pistons. Extra large front wheels for maneuverability. Max. height: 20.3"; Overall width: 14.25"; Overall length: 28"; Saddle diameter: 4.7"; Handle length: 50.5". Manufactured to comply with the ASME PASE-2019 Safety Standard.



\$549.95 ~~\$599.95~~



CSEES1KM 750 lb. Manual Engine Stand

Designed for handling and positioning automotive engines up to 750 lbs. requiring repair or rebuild. Fully adjustable mounting head and adapter fingers. Long handle rotates mounting head. Sturdy 4 leg design for maximum stability supports engines up to 750 lbs. Compliant with the latest ASME PASE-2014 safety standard.

\$279.95 ~~\$315.95~~

CTJFTS Fuel Tank Saddle Adapter

Use to remove, install and transport empty automotive gas tanks. Foam support pads can adjust for height, width and length to fit most gas tank configurations, up to 40 gallons. Ground wire assembly prevents static electric discharge on older metal tanks. (2) 8 ft. tie-down straps secure the tank to the adapter. Installs easily onto Cornwell® transmission jack saddles (CTJTJ1KA and CTJTJ1KH). Also compatible with most other transmission jacks.



\$279.95 ~~\$309.95~~

CTJTRJ22TA 22 Ton Truck Jack

Narrow chassis design fits easily between tandem wheels. Uni-weld hydraulic assembly provides longer service life and higher pump efficiency. Contoured chassis base raises wheels when under load to prevent damage. Air ram retraction and wiper seals protect the hydraulic system from contaminants. 8" diameter composite wheels for easy maneuvering. Convenient lever sets handle in 3 positions for usage, transport, and storage. Front positioning handle assists in positioning jack under lift point. Compliant with the latest ASME PASE-2014 safety standard.



\$999.00 ~~\$1,132.00~~

CTJLP2NG 2 Ton Low Profile Jack

Ultra-low 2-3/4" minimum height. Low-profile design throughout the whole chassis allows full reach under low ground clearance vehicles. 24-1/4" maximum height. Overload and bypass safety valves prevent over extension. Rubber saddle pad and foam bumper pad protect vehicle from damage.



\$689.95 ~~\$774.95~~

CSEUH15PL 1,500 lb. Low-Height Underhoist Stand with Foot Pedal

Low height is ideal for supporting low hanging vehicle components. Useful during exhaust work, engine support and suspension work, especially when clearance is limited. 12" diameter base and contoured saddle. Foot pedal provides 1-1/4" height movement. Compliant with the latest ASME PASE-2014 safety standard. Min height: 35-1/4"; Max height 57-1/2"



\$199.95 ~~\$239.95~~

CSEUH15PA 1,500 lb. Underhoist Stand with Foot Pedal

Designed to support vehicle components. Ideal for exhaust system installations, engine support during transmission installation and shock absorber replacement. Bearing mounted spin handle and self-locking Acme™ threaded rod provide easy height adjustment. 12" diameter base provides stability. Lightweight, slender design allows for easy handling in tight areas. Contoured saddle supports most component configurations. Foot pedal model will lift a vehicle component weighing up to 400 lbs. another 1-1/4". Compliant with the latest ASME PASE-2014 safety standard.



\$289.95 ~~\$329.95~~

CSEBJ20TA 20 Ton Air/ Hydraulic Bottle Jack

Compact and heavy-duty design. Can be operated manually or pneumatically.

Powerful, pump-free air motor effortlessly raises the load. Extension screw adjusts to desired work height for added reach. Fully welded base and built-in safety valve. Equipped with external return springs. Min. height: 10-5/16". Max. height: 19-7/8". Saddle diameter: 1-3/4". Meets ASME PASE-2019 Safety Standard.

\$309.95 ~~\$348.95~~



CSEVS10TXTA 10 Ton Extra Tall Vehicle Stands

Extra tall jack stands to provide versatility for high lift points. Used in pairs for supporting trucks, trailers and equipment. High-strength steel with reinforced, tubular legs. Multiple height adjustments in 2" intervals. Large saddle with side lugs to support and position vehicle frame. Multiple hole locations in the support tube make pin facilitated height adjustment quick and easy. Height Range: 28.1" to 46.5"; Base: 15.7" x 15.7"; Saddle: 3.25" x 5". Compliant with the ASME PASE - 2019 Safety Standard

\$499.95 ~~\$549.99~~



**SAVE
\$359.00**

CTJT1KA 1,000 lb. Air Assist Telescoping Transmission Jack

Designed for the removal, installation and transporting of transmissions and transfer cases on vehicles that are supported by lifts. Minimum height of 35". Foot activated raising and lowering pedals. Manual operated second stage hydraulics provide precise and controlled raising and lowering of load. Universal saddle with four ratcheting arms. 2 locking casters to prevent moving. Nylon strap tie down secures the load to the saddle. Compliant with the latest ASME PASE-2014 safety standard.

\$2,095.00 ~~\$2,454.00~~

6 Ton Vehicle Stands

CSEVS6TBL - Blue

CSEVS6TNG - Neon Green

Wide four legged steel base for stability. Support column with ratchet teeth provides multiple height positions. Self-locking handle and pawl secures column in place. Large saddles for easy positioning of the load and support.

\$189.95 ~~\$209.95~~



CSEVS22T 22 Ton Pin Style Vehicle Stands

Designed for use in pairs supporting heavy duty vehicles after lifting. Large v-shaped saddle to support and position vehicle frame. Multiple hole locations in support tube make height adjustments quick and simple. Height adjustment pin is attached to stand to prevent loss. Compliant with the latest ASME PASE-2014 safety standard. For use in pairs only.

\$579.95 ~~\$639.95~~



XPCSEWD (4) Ratcheting Wheel Dolly & Rack Bundle

Each dolly supports up to 1,500 lbs (6,000 lbs total) and accommodates tires up to 12.8" wide. Heavy-duty casters and locks on outboard wheels keep vehicle secured when in position. Maintenance-free, ratcheting lift mechanism and large foot pedal. Welded handle for transporting. Manufactured to comply with the ASME PASE-2019 Safety Standard. Storage rack holds dollies vertically to conserve space and (4) swivel casters provide easy maneuverability.

\$949.95 ~~\$1,169.75~~



TUXFP14KCX 14,000 lbs, Four Post Service Lift

High-performance, closed front, cable pull vehicle lift designed for Cars, SUVs, Vans & Trucks. Narrow & wide runway mount positions. Concealed hydraulic / mechanical cable lift system with slack cable safety devices. Durable pulley shaft design incorporating convenient grease fittings to extended life of the lift. Single point pneumatic lock release & high-quality DURO power unit, while providing additional safety & protection with self-chocking ramps and included wheel stops. Powder coat finish, 20" wide runways, adjustable lock stops and optional power unit mount positions. Capacity: 14,000 lbs.; Overall Length w/ Ramp: 252-1/2"; Overall Width (w/ Power Unit): 142"; Overall Height: 92-1/2"; Max Rise Height: 77-1/2"; Min Bay Size: 16' x 25'.

\$11,995.00 ~~\$12,850.00~~



VSGF10N500MBK 10,000 lbs. Two Post Lift, Symmetrical, 3-Stage Front Arms

ALI Gold Certified. 10,000 lbs capacity. Symmetrical column design. Versatile 3-stage front and 2-stage rear arms. Top mounted Direct-Pull lifting technology. Overhead cable equalization. Single Point lock release. Durable powder coat finish. Includes (4) low-profile drop-in adapters, (4) 5" adapters, (4) 3-1/2" adapters and adapter storage bracket. Maximum Rise: 76 -1/4"; Overall Width: 131" or 137"; Overall Height: 11' 9"; Drive through clearance: 99"; Voltage/Amps: 208V/230V, 17 amps.

\$7,695.00 ~~\$7,795.00~~



VSGCR14N201YBK 14,000 lbs, Four Post Service Lift, Standard Length

ALI Gold Certified. Raise and service passenger cars, trucks, and vans. Tall column design provides a 78-3/4" rise height for better vehicle access. Patented roller system provides even roller loading and reduces stress on moving part. Single point lift operation with air operated lock release. Heavy-duty concealed cable system. Self chocking 41" approach ramps with traction louvers and protective rollers. Multi-position lock allow lift to be level at any lock position. Durable powder coat finish. Capacity: 14,000 lbs.; Overall Length: 20' 10"; Overall Width: 10' 11-3/4"; Column Height: 7' 6-1/2"; Max Rise: 78 3/4"; Min Bay Size: 15' x 26'.

\$10,995.00 ~~\$11,995.00~~



TUXMR6K48X 6,000 Lb. Portable Mid-Rise Lift

Extended, sliding adjustable radius arms can be used with cars and light-duty trucks. Portable trolley supports pump and is used to move lift. Twin hydraulic cylinders and scissor-design for maximum strength and stability. Multiple safety lock positions. Includes swivel pads. Overall Length 96-1/2"; Overall Width 39-5/8"- 62"; Lifting Height with Adapters 54"; Min. Pad Height 7"; Power 115V - 15 Amp - 1PH

\$4,795.00 ~~\$4,995.00~~



TUXM1500CHR 1,500 lb. Motorcycle Lift w/ Drop Out Panel, Pneumatic, High Rise

1,500 lbs. capacity with 38-1/2" max lift height. 88"L x 31"W platform table and 50"W with side extensions. Min height 6-3/4". Air/hydraulic pump. Built-in drop-out panel. Ideal for motorcycles, snowmobiles, ATVs, etc. Includes front wheel vise & wheel stop, rear service support poles, side extensions and ramps.

\$3,595.00 ~~\$3,795.00~~

**SAVE
\$900.00**



TUXMSC6KLP
6,000 lbs. iMobile Single Column Lift

Single post car lift perfect for limited space and portability. Utilizes hydraulics to raise lift onto wheels, allowing lift to roll under vehicles. Lifting height of 72". Low-profile (under 4") with drive-over ramp and frame. Double-telescoping Screw Pads with 2-3/4" adjustable height. Lifting capacity of 6,000 lbs. Heavy-duty 13" x 10" structural column. Durable "chain-over" cylinder design. Rigid base construction. Single-point lock release and 21 locking positions. Stackable pad height extensions (2 sets of 4ea @ 2" & 4"). Heavy-duty arm restraints. Durable powder coat finish.

\$7,595.00 ~~\$8,495.00~~



TUXTP11KCDX
11,000 lbs. Two Post Lift, Asymmetric

User-friendly bi-symmetric configurable arms, 3-stage front arms and symmetric columns. Direct Drive pull cylinders. Single point lock release. Rubber door guards and spin up low profile lift pads. Includes 2" and 4" stackable truck adapters. Max Lift Height 71"; Width Between Columns 116"; Drive Thru Clearance 104"; Height Overall 144"

\$5,995.00 ~~\$6,295.00~~



VSGI10N500MBL
10K, 3-Stage Spot-Rite™ Symmetrical Arms

Symmetrical column design. Spot-Rite™ 3-stage arm allows positioning the vehicle doors in front of or behind the columns. Adjustable width options. Includes (4) low-profile drop-in adapters, (4) 3.5" extensions, (4) 5" extensions and adapter storage bracket. ALI Gold Certified. Max Rise: 76-1/4"; Required Ceiling Height: 144"

\$8,295.00



VSGI12N300BL
12,000 lbs. Two Post Lift, Symmetrical, 3-Stage Arms

12,000 lbs. Capacity. Symmetrical column design. Versatile 3-stage front and rear arms. Adjustable width options. Cylinder rod concealed inside carriage. Overhead cable equalization. Single point lock release. Spring operated arm restraints. Includes low-profile drop-in adapters, adapter extentions (1.75", 3.5", & 5") and storage bracket. Durable powder-coated finish. ALI certified. Maximum Rise: 80-3/4"; Overall Width: 140" or 146"; Drive through clearance: 108-3/4" or 102-3/4"; Voltage/Amps: 208V/230V, 17 amps; Ceiling Height required: 168"

\$14,295.00



Complete Wireless CCD Wheel Alignment System

CMBCDWA1100CWAS - With Wheel Stands **\$23,495.00** ~~\$24,995.00~~

CMBCDWA1100 - Without Wheel Stands **\$19,995.00** ~~\$20,995.00~~

8-Sensor CCD alignment system for cars and light trucks. User-friendly software provides graphical instructions and guides the user through the alignment process. Extensive vehicle database spans 30+ years and over 40,000 vehicles. Featherweight wheel clamps with 12"-24" range (optional clamp extensions also available). Rechargeable Li-ion sensors with built-in Wi-Fi and shock-proof accelerometer provide up to 24hrs of work time. Portable wheel stands with turn plates align all vehicles including independent four-wheel suspensions and long wheel base light trucks.


Made in Italy, final assembly in USA. Stands made in the USA. Includes work/storage station, Windows PC, 27" TFT monitor, USB keyboard, (4) wheel sensors / clamps, brake pedal depressor, steering wheel holder, (4) wheel stands w/ turn plates.

AUTMA60020T Autel MA600 Portable ADAS for LDW Systems w/ Tablet

MA600 LDW 2.0 Package with MS909S2 Tablet includes the MA600 Frame, Targets, Patterns Case, and ADAS Software Upgrade to calibrate static Lane Departure Warning (LDW) Systems on Alpha Romeo, Honda, VW, Mercedes, Hyundai/ Kia, Nissan, Infiniti, Mazda, Mitsubishi, Mazda, Subaru, Toyota/Lexus. Includes Toyota

LDA target and ADAS Software Upgrade. Additional dynamic calibrations can be performed using the tablet. System expandable with optional expansion packs for BSM, ACC, AVM, NV calibration coverage. Includes One-Year Limited Warranty.

\$13,995.00 ~~\$14,459.18~~



GTCGBB10L2 Bead Bazooka® w/ 2" Release, 10L RAR

For car, light truck, heavy commercial, and light agricultural vehicles. The most advanced bead seater ever made. Utilizes an upgraded trigger-operated Rapid Air Release (RAR) valve technology which provides more power in an ultra-compact design. Anti-corrosion interior tank coating. Compatible with motorcycle, car, light truck, and heavy commercial vehicles.

\$649.95

CMBCECOMBOPA Tire Changer w/ Press Arm and Wheel Balancer Combo

Swing Arm Tire Changer with press arm. Dual table clamping cylinders and dual stage inflation system. Foot operated bead breaker. Power Supply: 110V 50/60 Hz + Air; Air Pressure: 145 PSI (10 bar); Rim Diameter (Ext.): 12"-24"; Tire Diameter: 44"; Max. Wheel Width: 15"; Turn Table Speed: 8-15 rpm. Space-Saver wheel balancer with direct weight placement. 3D inner data entry and AutoAdaptive enhancement software. Motorized, fast 5-second average cycle time. Includes Quick Clamping Wing Nut. Power Supply: 110V, 1ph, 50/60Hz; Balancing Speed: 100 rpm; Maximum Rim Width: 20"; Maximum Rim Diameter: 30"; Maximum Tire Diameter: 36"; Max Wheel Weight: 165 lbs. Final assembly and tested in the USA.

\$13,295.00 ~~\$13,995.00~~



CMBCER65 Computerized Wheel Balancer with 17" Monitor

Automatic gauge detects distance and diameter (up to 28" rims). LA sonar for width measurement enables immediate entry of wheel data. Automatic Approach stops the wheel around 15° from the counterweight location. Electromagnetic brake locks wheel in position. Laser spotter pinpoints the exact location for stick-on weights. Preset programs SPLIT, OPT, and ALU. 17" TFT flat screen monitor. Power Supply: 115V, 1ph; Max. Rim Diameter: 30"; Max. Rim Width: 20"; Max. Tire Diameter: 42"; Max. Wheel Weight: 165 lbs.

\$8,495.00 ~~\$9,095.00~~



CMBCSM628BPS Advanced Swing Arm Tire Changer w/ Bead Press System

High-performance Bead Press System (BPS) for servicing low-profile, run flat, on/off road tires and commercial light trucks with stiff sidewalls and difficult rims with deep drop centers. Self-centering clamping jaws with dual air cylinders; uniform clamping pressures and high clamping force reduce the possibilities of rim slippage. Standard quick-change mount head kit provides steel and polymer long wearing mounting heads. Heavy duty, high torque, 2-speed (8-15 rpm) 220v motor. Two stage inflation jets and foot-operated bead breaker. Final assembly and tested in the USA. Power Supply: 220V, 1ph, NEMA Plug L6-20P; Air Pressure 145 PSI (10 bar); Rim Diameter (Ext.): 12"-26" (6" ext.); Tire Diameter: 44"; Max Wheel Width: 16"; turn Table Speed: 8-15 rpm.

\$12,195.00 ~~\$12,895.00~~



A **LJ9690133**
17" 1 Ph 16-Speed Floor Step Pulley Drill Press

The Palmgren step pulley drill presses have the weight and rigidity to maintain the built-in tolerances for metal and woodworking applications. 16 Speeds allow the operator to drill a wide range of large and small holes into a variety of materials. The cast iron table can swivel around the column, tilt L to R up to 45° or rotate 360°.

\$1,530.00 ~~\$1,700.00~~

B **LJ9690220**
20" Floor Step Pulley Drill Press

The Cornwell step pulley drill presses have the weight and rigidity to maintain the built-in tolerances for metal and woodworking applications. 16 Speeds allow the operator to drill a wide range of large and small holes into a variety of materials.

\$2,482.67 ~~\$2,613.34~~

C **LJ9690201**
15" 16-Speed Floor Step Pulley Drill Press

Quick change vertical depth stop for repetitive accurate operations. Rack and pinion table height adjustment. Front mounted locking rocker switch to prevent unauthorized use. 5/8" chuck and key.

\$1,222.33 ~~\$1,286.66~~



A
LJ9693115
15" Wood/Metal Vertical Band Saw

Unitized welded steel frame construction. Cast blade wheels. Large ground cast iron work table that tilts up to 45°. Adjustable precision bearing blade guides. 4" dust port. Rip fence. Miter gauge. Chip blower & chip chute. 15" comes with (1) 1/2" - 14 TPI metal blade, and (1) 1/2" - 6 TPI wood blade.

\$4,706.00 ~~\$4,953.68~~

B
LJ9693128
10" Metal Cutting Vertical Band Saw

3-speed belt driven system. Machined cast iron table with miter gauge slot. Balanced cast blade wheels. Includes rip fence assembly and miter gauge.

\$1,123.00 ~~\$1,248.00~~

LJ9691312 Cornwell® 12" Bench Disc Sander

Constructed of rugged die cast aluminum and cast iron providing stability and vibration-free operation. The sander is used to sand, deburr, bevel and grind large workpieces of wood, plastic and metal. The 12" diameter disc can be used to sand or bevel surfaces with the use of 0 to 45° scaled cast iron table. Features include a tilting table with miter gauge slot, dust collection chute and disc brake. The adjustable miter gauge can be used to guide the workpiece at any desired angle while sanding.

\$670.28 ~~\$705.56~~



**SAVE
\$232.56**



LJ9691123 6" x 10" Belt and Disc Sander

Powerful direct drive power train. Adjustable guarding for both the belt and disc sections. Dust port for both sections for easy connection and cleaning. Cast iron tilting worktables with slot for miter gauge and easy to read trunnions. Deluxe miter gauge ideal for plain and compound angles. Cast iron motor base mounted to a sturdy fully enclosed steel floor stand. Safety lock out on/off switch. Belt head adjusts vertically, horizontally and any position in-between.

\$2,093.00 ~~\$2,325.56~~



**SAVE
\$411.26**

LJ9693311 7" x 12" Horizontal Band Saw

Step pulley drive train with 4 speed settings to cover all your sawing applications. Gear box utilizes a bronze worm gear and hardened worm shaft running in an oil bath. Adjustable hydraulic down feed of the saw head. Automatic shut off at end of cut. Adjustable ball bearing blade guides delivers straight accurate cuts. Flood coolant system cools and cleans chips from the blade. Chip brush. Rapid acting vise. Adjustable material work stop. Castors for easy positioning of the saw anywhere in the shop.

\$3,694.00 ~~\$4,105.26~~



ALL NEW SELECTIONS!



SCAN
to see our
full line



Cornwell® Good Vibes Tee

CGAPTM - M

CGAPTL - L

CGAPT2XL - 2XL

CGAPT3XL - 3XL

CGAPTXL - XL

Primed for comfort, this tee provides all the "good vibes". 4.5 oz. tri-blend. Removeable inside tag.

\$26.95 ~~\$29.95~~



CGTERRH

Cornwell® Terrain Hat

Terrain Trucker Hat. 100% poly front with sublimated "terrain" pattern. Mesh back with snapback closure. Heavy front panel reinforcement. Front is decorated with a Cornwell Quality Tools woven label. The side is embroidered with a U.S.A. flag.

\$30.95 ~~\$32.95~~



SPR2026TWL

Cornwell® Beach Towel

35"W x 60"L, mid-weight, 100% cotton towel. Designed with a Cornwell America's 250th anniversary design.

\$37.95 ~~\$39.95~~

Cornwell® America's 250th Tee

CG250TM - M

CG250TL - L

CG250TXL - XL

CG250T2XL - 2XL

CG250T3XL - 3XL

4.5-ounce, 100% pre-shrunk, ring spun, soft cotton. Removable tag for added comfort. Color: Navy.

\$25.95 ~~\$28.95~~




IRONMAN ON FRONT



CGKCF
Cornwell® Key Caddy

14 hook, 14" x 12" Key organizer with business card pouch.

\$81.95 ~~\$87.95~~



CGTIU
Cornwell® Tee it up Golf Set

Tee it up with this golf accessory kit. Includes a golf towel, three balls and ball marker/cap clip. All featuring Cornwell Tools graphics.

\$46.95 ~~\$50.95~~



CGMMS
Cornwell® Mule Mug Set

Includes 2 copper mugs and a recipe for the perfect mule cocktail. Laser engraved logo on both mugs. Hand washing recommended

\$30.95 ~~\$34.95~~



CG250F
Cornwell® 250th Anniversary Flag

Size: 3' x 5'. America's 250th Anniversary flag. UV treated inks prevent premature fading. Vibrant graphics will make this flag stand out!

\$30.95 ~~\$34.95~~



CGBBQ
Cornwell® BBQ Set

Includes: Spatula, Fork, Tongs. Material: Stainless and Wood. Packaged in a logoed, zippered travel case with dual handles. Spatula features a cut-out Cornwell Tools logo. All three BBQ tools are engraved on the handle with a Cornwell logo.

\$33.95 ~~\$37.95~~



CGBIRON
Cornwell® Branding Iron

Create a memorable impression with this custom steak branding iron. Copper branding head is molded with the Cornwell Ironman logo. Wooden handle is laser engraved with a Cornwell logo. Size: Approximately 13.7" long, 2" diameter head Individually boxed.


\$35.95 ~~\$39.95~~

Shark Dent Removal System Special DX Edition

KTEART38SPECIAL110DX - 110V
KTEART38SPECIAL220DX - 220V

Original Shark 38 Special DX, steel electrode Dent Repair System with ergonomically designed seated cart. 15 times more pulls per minute than an outdated stud gun, with an aluminum handle that weighs less than 2 lb. With integrated shrinking/wiggle wire tip for greater utility. Comes complete with wiggle wire, 6 finger claw, 2-10" electrodes and sliding hammer, magnetic ground, and 20' heavy-duty cord. Additional DX accessories include: 2 seat side storage trays, 1 key weld electrode, 50 straight weld keys, 50 twisted weld keys, 1 weld key pull par, 3-4" electrodes and 1 level puller. Made in USA. 10-year limited warranty, and convertible voltage.

\$1,797.00 ~~\$2,235.45~~



**SAVE
\$1,735.61**

KTEART4100C Industrial Laser Cleaner 220V, 1500W

Industrial Laser Cleaner is a highly efficient, precise, and powerful 220V laser designed for versatile surface cleaning. With an adjustable beam width of up to 12 inches, it effortlessly removes rust, paint, oil, dirt, stains, coatings, graffiti, and more from steel, masonry, and other surfaces. Features multiple configurable beam settings for a wide range of tasks.

\$14,795.00 ~~\$16,530.61~~

KTEART23DX Deluxe Vacuum Floor Puller

Deluxe vacuum floor puller sucks down to the floor with shop air, and provides a post to pull from anywhere in the shop. Ratcheting chain pull capable of pulling 1200 lbs, while additional anchor plate keeps vehicle in place. Pulling post moves easily for quick repositioning. The DX is upgraded for incredible pulling power without sacrificing safety on nearly any shop floor. The heavy-duty ratcheting chain allows for one-handed operation without sacrificing pulling power. Includes additional anchor plate, six-finger bear claw, carry handle, and accessory tray to store accessories and chain.

\$1,905.66 ~~\$2,222.89~~



SM35900 Panel Tree

An adjustable stand that takes the frustration out of painting panels, hoods, and doors. Panels load easily and quickly. Center post design allows access to edge, bottom and both sides of the panel. Paint panels, jams, and car all at one time. Save hours of dry time. Hold one or two panels securely. A total of six adjustable arms (three straight and three offset) to fit any size panel. Casters for easy mobility. Wide base for stability.

\$539.13 ~~\$567.50~~

KTEART23V Vertical Pulling Attachment for KTEART23

The KTEART23V is an attachment for the KTEART23 Vacuum Floor Puller for greater vertical pulling height options. Allows for adjustable pulls up to 85" high. Includes the KTEART23V, one ratchet strap, and one glue-pulling attachment.

\$232.68 ~~\$250.80~~



KTEART23H Horizontal Pulling Attachment for KTEART23

The KTEART23H is an attachment for the KTEART23 Vacuum Floor Puller for greater horizontal pulling width options. Allows for multiple adjustable pulls across a width of 22". Includes the KTEART23H, two ratchet straps, and two glue-pulling attachments.

\$196.70 ~~\$212.01~~






KTEART90MX Ultimate Digital Tram

Delivers precise measurements from 1 1/4" all the way up to 94" with laser accuracy. Its digital readout switches between SAE and Metric, and the lightweight aluminum telescoping sections make handling easy. The set includes two nylon storage bags, two 5" pointers, two 12" pointers, and a 100mm shortening attachment for versatile use.

\$519.95 ~~\$585.29~~



HRC49800 Dent Puller Knocker Tool

Threaded shaft with slide hammer and hook attachments made of steel and provided in a blow molded case.

\$179.95 ~~\$199.95~~



JLJ01050 Magna-Spot® 1050 Entry-Plus Stud Welder Kit

Designed for the instant welding of draw pins, rivets, Magna Wire® and round washers, as well as for the shrinking of stressed material. Exclusive Magna Pin System (MPS) holds pin in the electrode in any position and provides convenient on-the-case storage of pins. Includes: Magna-Spot® Stud Gun, heavy-duty Magna-Slide Hammer®, Stud Electrode, (500) 2.0mm Draw Pins with Striker Tip

\$421.16 ~~\$443.33~~



DEV802343 Auto Painting and Primer System

System consists of HVLP Spray Gun (finish coats) 1.3mm, HVLP Spray Gun (primer) 1.8mm, two 600 cc (20 oz.) cups, fluid tip and needle - 1.5mm, cleaning brushes, wrench, air adjusting valve with gauge

\$351.53

Limited Quantity

AJM7PCH 7 Piece Auto Body Tools with Carbon Steel Hammer Heads

Set includes: Curved Cross Chisel Hammer, Cross Chisel Shrinking Hammer, Utility Pick Hammer, Utility Dolly, Thin Toe Dolly, Heel Dolly & Light Dinging Spoon



\$179.95 ~~\$324.95~~

MMWC2XL Universal Welding Cart

Top shelf: 23-3/4" x 12-3/4". Holds 7-1/2" diameter cylinders. Fold down front handle for towing. 110 lbs. capacity.



\$249.95

DFDF15DX Spot Annihilator Deluxe Kit

Spot Weld Drill. Fast, safe and OEM recommended method for removal of spot welds on High Strength Steels (HSS) and Ultra High Strength Steels (UHSS).



\$832.56

MMWUWC4 Heavy-Duty Welding Cart

Can be used for MIG, Stick, TIG welders and Plasma cutters along with a cylinder of shielding gas for the application. 400 lb. capacity. 18 gauge steel construction and powder coat finish. Shelf Dimensions: 15-1/4" x 22-1/2" top shelf and 15-1/2" x 21-7/8" bottom shelf. 18" clearance between bottom and top shelves.



\$339.95

MMWC3 Welding Cart with Locking Door

Can be used for MIG, Stick, TIG welders and Plasma cutters along with a cylinder of shielding gas for the application.



\$299.95



MMWAGHOTHEAD2.0 USB Rechargeable Welding Helmet Fan

Welding helmet ventilation and cooling system. Universal clip on attaches to nearly every welding helmet. Activated charcoal filter and positive pressure reduces fumes by up to 90%. Lightweight at just over 5 ounces.



\$129.95 ~~\$132.13~~

MMWWG1 Welding Goggles

Auto-darkening goggles are a unique protective alternative to a traditional welding helmet. The lightweight, low profile form makes it ideal for tight clearance environments. 4 sensors and 5-13 lens shade rating on a dual coated bronze lens. Includes a replaceable CR2450 battery.



\$229.95 ~~\$329.95~~

MMWWGLIGHT Clip on Light for MMWWG1

Clip on Light for Welding Goggles (MMWWG1)



\$51.95

Tig Welding Gloves Gray

MMWAG24CL - L
MMWAG24CXL - XL

Superior top grain pearl kidskin leather. Improved grip from the straight thumb. 4" cuff for extra protection of the lower arm. DuPont™ Kevlar® stitching for enhanced strength and protection. Unlined to boost the feel and dexterity.



\$13.49

- | | | | |
|---|--|--|--|
| A MMW56VG
\$169.95 \$199.95 | B MMW58VG
\$159.95 \$179.95 | C MMW59VG
\$174.95 \$189.95 | D MMW67VG
\$241.95 \$263.95 |
| E MMW710DVG
\$189.95 \$209.95 | F MMW77VG
\$294.95 \$318.95 | G MMW811VG
\$369.95 \$399.95 | H MMW820DVG
\$389.95 \$419.95 |
| I MMWWH3538L
\$199.95 \$239.95 | J MMW500VGX
\$139.95 \$149.95 | K MMW900PVG
\$449.95 \$499.95 | |

PART #	DESIGN	VIEW AREA	VARIABLE SHADE	GRIND MODE	ARC SENSORS
MMW56VG	Skeleton	3.86" x 1.73"	9-13	✓	2
MMW58VG	Green Goblin	3.86" x 1.73"	9-13	✓	2
MMW59VG	Blue Skulls	3.86" x 1.73"	9-13	✓	2
MMW67VG	Blue w/ Racing Strip	3.82" x 2.44"	9-13	✓	2
MMW710DVG	NHRA	3.82" x 1.85"	5-13	✓	2
MMW77VG	American Flag	3.82" x 2.44"	5-13	✓	4
MMW811VG	Skull & Flag	3.82" x 3.19"	5-13	✓	4
MMW820DVG	Flying Eye	3.82" x 3.19"	5-13	✓	4
MMWWH3538L	Skull & Eyeball	3.62" x 1.65"	9-13	✓	4
MMW500VGX	American Eagle	3.86" x 1.65"	9-13	✓	2
MMW820DVG	American Greatness		8-13	✓	7

Welding Jacket

MMWFRJM - M
MMWFRJL - L
MMWFRJXL - XL
MMWFRJ2XL - 2XL

Vented back. Barracuda collar. Snap front. Dual soapstone/scribe pockets. Snap cuffs.

\$69.95



Mig/Stick Welding Gloves Blue

MMWAG1080L - L
MMWAG1080XL - XL

Premium side-split cowhide. Weltd fingers make it more difficult for stitching to come apart. Length: 14". Cotton/foam lined back for added heat protection.

\$13.95



MMWBS250TO Oxyacetylene Welding Outfit

Medium duty outfit for general purposes. Can weld up to 1/4" and cut up to 1/2". Includes:

Torch handle with check valve, cutting attachment, Oxygen and Acetylene regulators, cutting tip, welding nozzle, T-Grade 12 foot twin hoses, goggles, and striker



\$389.95



MMWMP251I 250 Amp Mig Welder With Spool Gun

A versatile 230V, 250A multi-process welder that comes with MIG and Spool guns with a built in single/dual cylinder rack. Features a Synergic LCD control that allows the operator to select processes and weld settings along with ability to load and save weld programs. Accepts a wide variety of wire spools. It is designed to weld materials as thin as 24 gauge all the way up to 1/2" in a single pass. The Spool Gun is capable of welding aluminum with 4" spools of wire. Comes with 12 ft. MIG gun, 12 ft. Spool gun, two dual gauge regulators, two gas hoses, and extra contact tips and drive rolls. MIG wire not included.

\$3,795.00 ~~\$3,995.00~~

MMWMP242DVIK 4 in 1 Dual Voltage Welder

Multi-Process, Dual Voltage portable DC Inverter welder with LCD interface. Capable of welding solid wire (steel, stainless and aluminum) with shielding gas, flux core wire, DC stick, and lift arc DC TIG on steel and stainless steel materials. Comes complete with a spool gun for aluminum welding. Dual Voltage, 120V, 20A 50/60 HZ, and 230V, 36A 50/60 HZ Single Phase Input Power, 40 to 200A Output. Duty cycle, 40% @ 90A (120V) and 20% @ 200A (230V).

\$2,695.00 ~~\$2,995.00~~



MMWMP143I 120V MIG & Flux Welder

Inverter-powered wire feed welder for flux core and MIG welding plus a DC stick welder.

It uses leading edge Inverter Technology to provide high quality welds that are crisp, clean, and consistent. It comes complete with a regulator and gas hose for easy connection for MIG welding plus a weld cable. Directly connect this unit to a 120V, 20A AC receptacle. It is designed to weld materials as thin as 24 gauge all the way up to 3/16" in a single pass.

\$699.95 ~~\$799.95~~



MMWTIG242DVI Tig Welder AC/DC, Dual Voltage

Dual voltage, inverter powered AC and DC TIG, Pulse TIG and DC Stick welder. This unit is intended to be used on a 50-amp 230V AC circuit or 120V, 20A AC circuit, without the use of an extension cord. This machine comes complete with a TIG Torch, a Foot Pedal, regulator/flowmeter with inert gas hose, a ground cable and clamp, and an Electrode Holder with cable.

\$2,895.00 ~~\$3,295.00~~



MMWMP240ACDCMT Dual Voltage AC/DC Tig/Mig Combo Welder, 200 Amp

Inverter-based dual voltage welder offers a comprehensive range of MIG, TIG, and MMA welding functions, including synergic MIG programs and both AC/DC TIG capabilities. This welder offers both traditional manual and full synergic welding programs, making it incredibly easy to use on various alloy materials with different gas mixtures. For Tig welding, the high-frequency or lift-arc ignition ensures perfect arc ignition every time.

\$3,995.00 ~~\$4,495.00~~



NEW!

MMWMP185DV Dual Voltage Mig & Flux Welder

Inverter-powered, dual voltage, wire feed welder for flux core and MIG welding plus a DC stick welder. It uses leading edge Inverter Technology to provide high quality welds that are crisp, clean, and consistent with plenty of power. It comes complete with a regulator and gas hose for easy connection for MIG welding. Directly connect this unit to a 230V NEMA 6-50R receptacle or attach the supplied 120V adapter cord to operate off of 120V power. It is designed to weld materials as thin as 24 gauge all the way up to 3/8" in a single pass. This machine is spool gun ready (optional), capable of welding aluminum with 4" spools of aluminum wire.

\$1,495.00 ~~\$1,695.00~~



MMWP700DVI Dual Voltage Plasma Cutter

Cuts up to 11/16" steel at a travel speed of 10" per minute. Cuts all electrically conductive materials. Cuts a narrow kerf that results in a smaller heat affected zone for reduced warping. Pilot arc for easy starts. Built-in air pressure adjustment and gauge, indicator lights and thermal overload protection. Built in water separator. Input power: 120V, 25A 50/60 Hz single phase; 230V, 40A 50/60Hz single phase. Output Voltage: 150 to 40A. Duty cycle: 40% @ 25A (120V Power); 60% @ 40A (230V Power). Required Compressed Air: 4.5 CFM @ 60

\$2,095.00 ~~\$2,295.00~~



GENERATORS



FIRH03654 Dual Fuel Portable Generator 4550/3650W Electric Start

Provides power on demand. It's a hybrid power station that combines gas and propane. Generating a robust 4550/3650 Watts (Gas) and 4100/3300 Watts (LPG) of power to handle any of your needs. Running watts 3650W (GAS), 3300W (LPG), starting watts 4550W (GAS), 4100 (LPG), 120 volts. 5-gallon tank. Up to 14 hours of run time at 50% load. Fuel gauge. Weight: 119.5 lbs

\$926.25 ~~\$975.00~~



FIRW02081 2500 / 2000 Watt Recoil Start Inverter Portable Generator

2500/2000 watt recoil start inverter portabel generator with adapter and built-in parallel kit. Comes with a 25 ft. Power Cord (5-15P to 3x5-15R), 12V Battery Cable, a Storage Strap, 2 Parallel Cables, and a L5-30P to TT-30R Adapter. **This product is not certified to ship to California.

\$916.75 ~~\$965.00~~



FIRP01204 1200/1500 W Generator w CO Alert

1500 watt lightweight generator weighing in at 61lbs. The Max Pro Series 80cc engine runs cool and efficient thanks to the Phoenix Fat Head Block. The P01201 is a recoil start system running at 62dB and has a 1.7gal tank that gives a generous 10hrs of run-time. This generator is California and Canada emissions certified.

\$441.75 ~~\$465.00~~



FIRT08072 Tri-Fuel Portable Generator 10000/8000W Electric Start Wheel Kit

Can run on gasoline, propane, and natural gas. It's a 10000-watt generator, and its electric starting system provides easy operation. Our Max Pro Series 439cc engine runs coolly and efficiently thanks to its Phoenix Fat Head Block. Running watts 8000W (GAS), 7250W (LPG), 5500W (NG), Starting watts 10000W (GAS), 9050W (LPG). 6900W (NG), 120/240 volts. 8-gallon tank up to 12 hours of run time at 25% load, Weight: 213 lbs.

\$1,505.75 ~~\$1,585.00~~



FIRW06383 6300/7850 Watt Gas 120/240V Remote Start CAS Inverter Generator

6300/7850 Watt gas 120/240V remote start CAS inverter generator with CO alert.

\$2,071.00 ~~\$2,180.00~~



FIRWT06375 6300/7850 Watt 120/240V Tri- Fuel Inverter Generator

Gas running watts 6300/7850, LPG running watts 5700/7100, NG running watts 4900/6100, voltage 120 / 240V. Frequency 60Hz, Engine Displacement 322cc, Engine Type OHV, electric and recoil starting system.

\$2,180.25 ~~\$2,295.00~~



CPE201494
9200W Electric Start Generator with CO Shield®

9200-watt generator features CO Shield® carbon monoxide auto shutoff system. Rely on the Champion 459cc engine and enjoy up to 10 hours of run time at 50% load with a noise level of 74 dBA. Outlets have covers for protection and include a 120/240V 30A locking outlet (L14-30R), a 120/240V 38A outlet (14-50R), and two 120V 20A GFCI household duplex outlets (5-20R) with a 7.7-gallon fuel tank.

\$1,875.90 ~~\$2,081.33~~



CPE201323
2500W Dual Fuel Inverter with CO Shield®

2500-watt inverter is one of the lightest in the industry and features CO Shield® carbon monoxide auto shutoff system. The Dual Fuel feature allows the 80cc engine to run on gasoline or propane. Enjoy the quiet 53 dBA for up to 11.5 hours on gasoline or up to 25 hours with a 20-lb propane tank.

\$934.25 ~~\$1,038.06~~



FIR1190
50amp Heavy Duty Power Cord

Heavy Duty 14-50P to 14-50R 25' 50AMP Extension Power Cord. 90 degree head helps reduce pressure and stress on the extension cord when connected.

\$288.16 ~~\$303.33~~



FIR2035
30' Retractable Cord

Keep your work area tidy and organized with this 30' retractable extension cord reel enhanced with illuminated receptacles.

\$166.25 ~~\$175.00~~

AIR COMPRESSORS



ACC318VL
7.5 HP 2 Stage
Compressor
\$4,995.00



ACC4916VS
5 HP 2 Stage
Compressor
\$2,395.00



ACC4918VS
5 HP 2 Stage
Compressor
\$2,795.00



ACC6061V
3.5 HP Single Stage
Compressor
\$1,695.00

	ACC318VL	ACC4916VS	ACC4918VS	ACC6061V
HP	7.5	5	5	3.5
VOLTAGE OR ENGINE	230/1 PH	230/1PH	230/1PH	230/1PH
PUMP STAGES	2 Stage	2 Stage	2 Stage	1 Stage
MAX. PSI	175	165	175	130
ACFM	25.25 @ 100 PSI	16.1 @ 100 PSI	15.33 @ 100 PSI	12.35 @ 100 PSI
ASME TANK	80 Gallon	60 Gallon	80 Gallon	60 Gallon
DIMENSIONS	39"L x 24"W x 77"H	23"L x 27"W x 70"H	36"L x 24"W x 73"H	30"L x 22"D x 68"H
SHIPPING WEIGHT	479 lbs.	261 lbs.	382 lbs.	261 lbs.



ACC72180V2FF
 (DSO) Deluxe 7.5 HP 2
 Stage Compressor
\$6,195.00



ACC5024VP
 2 HP Single Stage
 Compressor
\$1,395.00



ACC3G3HHL
 13 HP 2 Stage Compressor
\$5,595.00

ACC72180V2FF	ACC5024VP	ACC3G3HHL
7.5	2	13
230/1PH	120/2PH	Honda
2 Stage	1 Stage	2 Stage
175	145	175
24 @ 175 PSI	7 @ 100 PSI	25.25 @ 100 PSI
80 Gallon	20 Gallon	30 Gallon
27.4"L x 40" W x 69.8" H	22"L x 21.5"W x 47.8"H	44"L x 19"W x 45"H
694 lbs.	180 lbs.	369 lbs.



CR406
6 Wheel Knock-Out Creeper

Padded black tubular powder coated frame. Six 2-1/2" casters. Sides have been knocked out to allow easy access on both sides. Dimensions: 40"L x 18"W x 5.75"H

\$126.95 ~~\$141.95~~

CR406ADJ
6 Wheel Adjustable Knock-Out Creeper

Adjustable headrest. Padded black tubular powder coated frame. Six 2-1/2" casters. Sides have been knocked out to allow easy access on both sides. Dimensions: 40"L x 18"W x 5.75"H

\$157.95 ~~\$197.95~~



CRPCBKA
Premium Plastic Creeper

Thermoplastic polyurethane body w/ ergonomic thermal 3D carbon fiber head rest and back pad. Bottom hand hold. Five tool/parts trays. 3" casters (6). 42"L x 21"W x 3.5"H. Weight capacity: 285 lbs.

\$192.95 ~~\$226.95~~

CRRTC
Rolling Tool Tray

Easily move tools, lights, and parts under and around the vehicle. Centered metal plate allows for magnetic lights to be positioned as needed. Two magnetic sections hold parts and fasteners in place. Large 20" x 16" platform divided into 6 compartments for organization. Four swivel casters allow for maximum maneuverability. Weight capacity: 30 lbs.

\$39.95 ~~\$79.95~~



CR408A
Creeper Seat

Extra thick seat cushion uses two types of foam for all-day comfort. Seat height is adjustable from 15.5" - 20". Seat diameter: 11.4". Seat thickness: 3". 300 lbs. capacity. Five 2.5" swivel caster wheels for easy mobility. All steel 15.3" diameter tool tray holds tools and parts.

\$145.95 ~~\$162.95~~

**JOIN THE CLUB. STEP ON A TRUCK.
BE YOUR OWN
BOSS**

cornwellfranchise.com or call 1-800-321-8356

